AMENDMENTS TO THE CLAIMS

- 1. (Currently Amended) In a wireless device having a transceiver, a method for providing a service record for an a software application running on a virtual serial port, said method comprising the steps of:
- a) executing said <u>software</u> application, wherein said <u>software</u> application is a legacy application operable to communicate with a peripheral device over a serial connection;
- b) opening a virtual serial port for said <u>software</u> application, wherein said virtual serial port is opened by a virtual serial port driver and wherein said virtual serial port emulates said serial connection;
 - c) creating a service record corresponding to said software application; and
- d) registering in said service record a service name <u>for identifying</u> said <u>software</u> application, wherein said service name is provided by said virtual serial port driver.
- 2. (Original) The method as recited in Claim 1 wherein said wireless device is a Bluetooth-enabled device.
- 3. (Original) The method as recited in Claim 2 wherein said service record is a Service Discovery Protocol service record.
- 4. (Original) The method as recited in Claim 2 wherein said virtual serial port driver is substantially compliant with the RFCOMM protocol and comprises a port emulation entity.

- 5. (Original) The method as recited in Claim 4 wherein said step b) comprises the step of:
 - b1) selecting a RFCOMM channel number for said virtual serial port.
- 6. (Original) The method as recited in Claim 5 wherein said step d) comprises the step of:

including said RFCOMM channel number in said service name.

7. (Currently Amended) The method as recited in Claim 1 wherein said step d) comprises the step of:

deriving said service name from a name for said software application.

8. (Original) The method as recited in Claim 1 wherein said step d) comprises the step of:

using a default name for said service name.

- 9. (Currently Amended) A wireless device comprising:
- a bus;
- a wireless transceiver unit coupled to said bus and for communicating with other wireless devices;
 - a processor coupled to said bus; and
- a memory unit coupled to said bus and comprising processor instructions for performing a method for providing a service record for an a software application running on a virtual serial port, said method comprising the steps of:

- a) executing said <u>software</u> application, wherein said <u>software</u> application is a legacy application operable to communicate with a peripheral device over a serial connector;
- b) opening a virtual serial port for said application, wherein said virtual serial port is opened by a virtual serial port driver and wherein said virtual serial port emulates said serial connector;
- c) creating a service record corresponding to said <u>software</u> application; and
- d) registering in said service record a service name <u>for identifying</u> said <u>software</u> application, wherein said service name is provided by said virtual serial port driver.
- 10. (Original) The wireless device of Claim 9 wherein said wireless device and said other wireless devices are Bluetooth-enabled devices.
- 11. (Original) The wireless device of Claim 10 wherein said service record is a Service Discovery Protocol service record.
- 12. (Original) The wireless device of Claim 10 wherein said virtual serial port driver is substantially compliant with the RFCOMM protocol and comprises a port emulation entity.
- 13. (Original) The wireless device of Claim 12 wherein said step b) of said method comprises the step of:
 - b1) selecting a RFCOMM channel number for said virtual serial port.

- 14. (Original) The wireless device of Claim 13 wherein said service name comprises said RFCOMM channel number.
- 15. (Currently Amended) The wireless device of Claim 9 wherein said service name is derived from a name for said software application.
- 16. (Original) The wireless device of Claim 9 wherein said service name is a default name.